

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|--|--|---------------------|
| 1 | BRS | L1 | 3557 | (antenna) same (integrated adj circuit) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 08:59 |
| 2 | BRS | L2 | 252 | 1 and EEPROM | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 09:24 |
| 3 | BRS | L3 | 1987 | 438/257 | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 09:24 |
| 4 | IS&R | L4 | 737 | (438/257).CCLS. | USPAT | 2002/12/17 09:25 |
| 5 | BRS | L5 | 8 | 3 and antenna | USPAT | 2002/12/17 09:26 |
| 6 | BRS | L6 | 182 | (plastic adj substrate) and ((silicon adj dioxide) or (silicon adj nitride)) and antenna | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 09:40 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|--|--|---------------------|
| 7 | BRS | L7 | 22 | EEPROM and antenna and (contact adj pads) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 09:42 |
| 8 | BRS | L8 | 69 | antenna and (control adj gate) and (floating adj gate) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/17 09:43 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|-------------------|--|---------------------|
| 1 | BRS | L4 | 792 | RFID same antenna | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/19 14:58 |

DOCUMENT-IDENTIFIER: US 20010003487 A1

TITLE: VISIBLE SPECTRUM MODULATOR ARRAYS

----- KWIC -----

[0064] Referring to FIG. 7, each dipole antenna 80 is physically formed (of aluminum) on an insulating semiconductor (e.g. silicon dioxide of silicon nitride) substrate 130 (part of layer 34) by x-ray or electron beam lithography or other technique suitable for forming submicron-sized structures.

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|--|---------------------|
| 1 | BRS | L1 | 200 | (plastic adj3 substrate) same ((silicon adj dioxide) or (silicon adj nitride)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 17:59 |
| 2 | BRS | L2 | 2 | 1 and (antenna adj conductor) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 18:00 |
| 3 | BRS | L3 | 10 | 1 and antenna | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 18:35 |
| 4 | BRS | L4 | 6 | (antenna) adj10 (form or formed or forming) adj10 ((silicon adj nitride) or (silicon adj dioxide)) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 18:50 |
| 5 | BRS | L5 | 721 | RFID adj3 tag | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 18:53 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|-----------------|--|---------------------|
| 6 | BRS | L6 | 475 | 5 and (antenna) | USPAT; US-PGP UB; EPO; JPO; DERWEN T; IBM_TD B | 2002/12/11 18:54 |